

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A coating varnish comprising
 - a) at least one binder consisting of an comprising
~~alkyd resin resins synthesized from tris(2-hydroxyethyl)-~~
~~isocyanurate, 2,6-naphthalene-dicarboxylic acid, drying fatty~~
~~acids, and, if desired, further components known from alkyd resin~~
~~chemistry~~
 1. 33.0%-50.0% by weight of tris(2-
hydroxyethyl)isocyanurate
 2. 14.0%-20.0% by weight of dimethyl 2,6-naphthalene-
dicarboxylate,
 3. 34.0%-47.0% by weight of tall oil fatty acid
 4. 1.0%-15.0% by weight of modifier,the percentages by weight adding up in each case to
100.0% by weight
and the modifier being a mixture of tolylene 2,6- and
2,4- diisocyanate,

b) at least one solvent ~~or at least one technical solvent~~ or solvent mixture comprising at least one hydrocarbon-containing solvent mixture, and

c) at least one siccative or at least one mixture of siccatives and one or more antiskinning agents.

Claims 2-9 (Canceled)

10. (Previously presented) The coating varnish of claim 1, wherein component b) comprises aliphatic or aromatic hydrocarbon mixtures or mixtures thereof.

11. (Currently amended) The coating varnish of claim 1, wherein component b) ~~e)~~ comprises a further solvent from the class of the esters, ketones, lactones or hydroxyl ethers, ether esters, cyclic esters ~~other typical varnish solvents~~.

12. (Previously presented) The coating varnish of claim 1, wherein component c) comprises lead, cobalt or zirconium octoate, manganese, vanadium or calcium naphthenate or combinations of one or more of these siccatives.

13. (Currently amended) The coating varnish of claim 1,

wherein component c) comprises as antiskinning agents ethyl methyl ketoxime, tocopherol, Aseinin[®] ~~Antiskin VP-242~~ or mixtures of these substances.

14. (Previously presented) The coating varnish of claim 1, wherein component c) further comprises co-catalysts, corrosion inhibitors, defoamers, flow control agents, and wetting agents.

Claims 15-18 (Canceled)

19. (Currently amended) A method for coating electrical wires and electrical windings, comprising applying ~~The use of the coating varnish of claim 1 onto the for coating electrical wires and electrical windings, and also as a coating over flat modules in electronics, hybrids, SMD modules, assembled printed circuit boards, for impregnating electrical windings.~~

20. (New) A method for impregnating electrical windings, comprising applying the coating varnish of claim 1 as a coating over flat modules in electronics, hybrid coils, surface mount device modules, and assembled printed circuit boards.